SHOTGUN CHOKE TUBE INTERCHANGE LIST

OF TRULOCK'S REPLACMENT CHOKES

OR

WHAT CHOKE FITS MY SHOTGUN?

This list is believed to be correct but is not guaranteed to be so. Manufacturers may change designs at any time without notification. In some cases there may be several different choke designs that have been used in the same model.

If you are not SURE which choke fits your shotgun, please call for technical support. Never attempt to force a choke that does not screw in easily.

American Arms (Fausti Mfg.): interchanges with Trulock's American Arms style. American Arms (Franchi) Mfg. Pre Beretta): interchanges with Trulock's Old Style Franchi (Franchoke) chokes

American Arms (Phantom 12ga-made by Khan): interchanges with Trulock's Beretta/Benelli (Mobil) style Antonio Zoli with S/N prefix 237 or lower: .725 bore- interchanges with Trulock's Antonio Zoli style Antonio Zoli with S/N prefix of 238 and higher: .732 bore- No known interchange BSA 12: interchanges with Trulock's Beretta/Benelli style BSA 20 gauge: interchanges with Trulock's Benelli style Exception-BSA Silver Eagle with serial # below 2018 uses Trulock's Huglu style chokes

Baikal 12 and 20 gauge: interchanges with standard Tru-Choke.

Baikal 16 gauge: interchanges with Trulock's Baikal 16 gauge.

Benelli Information

IF YOU ARE NOT SURE WHICH STYLE OF CHOKE YOUR BENELLI TAKES PLEASE LOOK AT IDENTIFICATION PHOTO'S LOCATED ELSEWHERE IN THE CATALOG

Benelli 12 and 20 gauge Mobil design: Superseded and Current Production models: SBE, M1, World Class, Nova, Super Nova, Sport, M3 and M4 [current production with trapezoidal threads] interchanges with Trulock's Beretta/Benelli (Benelli standard Mobil) style.

M2 Tactical: Uses Trulock's Crio Plus style

M4 Tactical: Uses Trulock's Beretta/Benelli (Benelli standard Mobil) style

Benelli Cordoba, Super Sport and Sport II: Early Versions: Uses Crio Choke, a small-bore version of the Optima, interchanges with Trulock's Crio style. Note: Sometime in the spring of 2006 Benelli USA began receiving Cordoba, Super Sport and Sport II models that use Crio Plus instead of Crio chokes. Benelli 12, 20 and 28 gauge Crio Plus design: SBE II, M2, Montefeltro, Cordoba, Legacy, Sport II, Super Sport, Ultra Light, Vinci and Ethos : Uses Extended Crio Plus choke, a small bore version of the Optima Plus, interchanges with Trulock's Crio Plus style.

Benelli: Pre Beretta Purchase [old style, has V threads] no known interchange.

Beretta Information

IF YOU ARE NOT SURE WHICH STYLE OF CHOKE YOUR BERETTA TAKES PLEASE LOOK AT IDENTIFICATION PHOTO'S LOCATED ELSEWHERE IN THE CATALOG

Beretta 12 gauge: [Mobil Choke] interchanges with Trulock's Beretta/Benelli style.

Beretta 20 gauge: [Mobil Choke] interchanges with Trulock's Beretta style.

Beretta 28 gauge: interchanges with Trulock's Beretta 28 style chokes

Beretta: [slip in, no threads, uses muzzle cap] call for information.

Beretta Optima: [used in 12 ga. competition guns] interchanges with Trulock's Optima style.

Beretta Optima Plus : [used in some 12 ga field grade guns] interchanges with Trulock's Optima Plus style. **Beretta Optima HP**: [Used in the following SV10 Perennia, SV10 Prevail, A400 Xplor and UGB25 Sporting] Interchanges with Trulock's Optima HP style

Bernadelli SX801L: interchanges with Trulock's Verona SX style.

Black Diamond 12 gauge: [Mobil Choke] interchanges with Trulock's Beretta/Benelli style Browning Invector 12 and 20-standard bore diameters: [short tube, approximately 1.5"] interchanges with Trulock's Win-Brn-Moss style.

Browning Invector 10, 16 and 28: interchanges with Trulock's Invector style

Browning Invector Plus [.740 bore diameter] : interchanges with Trulock's Invector Plus style.

Browning D.S. (.740 bore diameter) 725 and New A-5: interchanges with Trulock's Browning D.S. style_____

Caesar Guerini 12 gauge: [Field Grade] interchanges with Trulock's Fabarm style.

Caesar Guerini 12 gauge: [Target Grade with a s/n prefix of below 112] interchanges with Trulock's Fabarm style

Caesar Guerini 12 gage: [Target Grade with a s/n starting with 112 or higher] These shotguns use Maxis Competition Chokes, No known interchange

Caesar Guerini 20 gauge: interchanges with Trulock's Fabarm style-

Caesar Guerini 28 gauge: No known interchange

Charles Daly: [current production pumps and semi-autos] interchanges with Trulock's Remington style. **Charles Daly:** [current production O/U (NOT SIDE-BY-SIDE)] interchanges with Trulock's Win-Brn-Moss style.

Charles Daly Mdl. 106 20 ga: interchanges with Trulock's Beretta 20 ga style.

Charles Daly S/S Field II [12 and 20 gauge]: interchanges with Trulock's Beretta/Benelli style.

Chiappa Model 1887 lever Action 12 gauge: interchanges with Trulock's Beretta/Benelli style

Century Arms/Kahn Centurion 12 gauge: interchanges with Trulock's Beretta/Benelli style.

Century Arms/Kahn Centurion 20 gauge: interchanges with Trulock's Huglu style

Century Arms/Kahn Arthemis 12 gauge: interchanges with Trulock's Beretta/Benelli style.

Century Arms/Kahn Arthemis 20 gauge: interchanges with Trulock's Huglu style

Churchill 12 gauge: call for interchange information.

Connecticut Shotgun Co A-10 12 and 20 ga: interchanges with Trulock's standard Tru-Choke. **CZ USA O/U 12 gauge 2005 and later:** interchanges with Trulock's CZ style.

Note: Although Beretta /Benelli Mobil style will work, in some cases this choke is a very tight fit in CZ guns.

CZ USA O/U 20 gauge 2005 and later: interchanges with Trulock's Huglu style.

CZ USA 28 gauge; interchanges with Trulock's CZ 28 style

FN-SLP 12 ga.: interchanges with Trulock's Win-Brn-Moss style

FN-P-12: interchanges with Trulock's Win-Brn-Moss style

FN-SC1 O/U 12 ga: interchanges with Trulock's Invector Plus style

Fabarm: 12 ga interchanges with Trulock's Fabarm style.

Fausti 12 gauge: [current production] interchanges with Trulock's Marlin- LC Smith style

F.A.I.R.: (I Rizzini): interchanges with Trulock's Verona LX style.

Franchi 12 gauge: Except Sporting SL O/U, Highlander, I-12 Sporting and Affinity [current production with trapezoidal threads] interchanges with Trulock's Beretta/Benelli style.

Franchi Affinity: First shipments of these interchange with Trulock's Crio Plus style. Current guns interchange with Trulock's Beretta/Benelli style.

Franchi Aspire: Interchanges with Trulock's Beretta/Benelli style

Franchi Instinct: interchanges with Trulock's Beretta/Benelli style

Franchi Intensity: interchanges with Trulock's Beretta/Benelli style

Franchi I-12 Sporting: interchanges with Trulock's Crio Plus style.

Franchi I-12 Waterfowl and Upland Field: interchanges with Trulock's Beretta/Benelli style

Franchi 20 gauge: interchanges with Trulock's Benelli style

Franchi 28 gauge: interchanges with Trulock's Beretta 28 gauge.

Franchi Sporting SL O/U: Some if not all of these come with .732 (18.66mm) bores. Uses an odd bore Beretta/Benelli style choke. This interchanges with Trulock's Franchi Big Bore style chokes.

Franchi Highlander SXS: No known interchange.

Franchi Franchoke (Pre Beretta Ownership): [old style, has **V threads**, not stub Acme threads and start about 1/8 inch from the top of the choke.] interchanges with Trulock's Old Franchi style.

H & R 1871/N.E.F. 12 gauge: interchanges with Trulock's Win-Brn-Moss style.

H & R 1871/N.E.F. 20 gauge: interchanges with Trulock's Win-Brn-Moss style.

H & R 1871/N.E.F. 10 gauge: interchanges with Trulock's Browning Invector 10 gauge.

H & R 1871 Pardner Pump 12 gauge: interchanges with Trulock's Win-Brn-Moss style

H & R 1871 Excell Auto 5 12 gauge (Pre Remington Purchase): interchanges with Trulock's Verona SX style.

H & R 1871 Excell Auto 5 12 gauge (Since Remington Purchase): interchanges with Trulock's Remington style.

Hastings Choke Tube 1 (Old Style): interchanges with standard Tru-Choke Hastings Type 2 (Current Version): Interchanges with Trulock's Hastings Choke tube 2 style

Hatsan Escort 12 gauge: interchanges with Trulock's Beretta/Benelli style Hatsan Escort 20 gauge: interchanges with Trulock's Huglu style Huglu: [12 gauge] interchanges with Trulock's Beretta/Benelli style. Huglu: [20 gauge] interchanges with Trulock's Huglu style-Note: The first [approx #] 200 of these guns that were imported into the USA take Mobil chokes not Huglu's

ITHACA INFORMATION

Ithaca has used three different choke designs*. The first design used in all Ithaca shotguns was the Tru-choke in both 12 and 20 gauge guns. Several years later they changed the choke to a Browning Invector/ Winchoke for the 12 ga guns. To the best of my knowledge this design was not used in the 20 ga guns.

Ithaca's of current manufacture use a choke with the outside dimensions typical of Invector Plus chokes but are based on a .730 bore dia as cylinder.

* Based on best info I have. 12/30/10

Ithaca 12 gauge: [oldest style, 44 TPI] interchanges with standard Tru-Choke. Ithaca 12 gauge: [intermediate production, 32 TPI] interchanges with Trulock's Win-Brn-Moss style. Ithaca 12 ga [current production] no known interchange Ithaca 20 gauge: [old and intermediate production] interchanges with standard Tru-Choke 20 gauge chokes Ithaca 20 gauge: [current production] no known interchange Lanber 12 gauge [Current]: interchanges with Trulock's Lanber Style. Lanber [Imported by American Arms]: interchanges with Trulock's American Arms style Legacy Sports Escort 12 gauge: Version 1-interchanges with Trulock's Beretta/Benelli style Legacy Sports Escort 12 gauge: Version 2-No known interchange Legacy Sports Escort 12 gauge: Version 3- interchanges with Trulock's Remington style Legacy Sports Pointer 12 gauge: interchanges with Trulock's Beretta/Benelli style. Legacy Sports Escort 20 gauge: Version 1 interchanges with Trulock's Huglu style. Legacy Sports Escort 20 gauge: Version 2 no known interchange-similar to Rem Choke Legacy Sports/Silma 12 gauge O/U: no known interchanges Laurona: There are two versions. One interchanges with Trulock's American Arms style. The other has no known interchange MKA 1919 12 Gauge: Call us for information Marlin-L.C. Smith (Except 28 ga.: interchanges with Trulock's L.C. Smith style Marlin -L.C. Smith 28 ga: interchanges with Trulock's Beretta 28 Marocchi Golden Snipe Field O/U: interchanges with Trulock's Browning Invector Plus style. Maverick SA-20 20 gauge: interchanges with Trulock's Benelli style Maverick Arms Model 88: interchanges with Trulock's Win-Brn-Moss style Maverick Arms Model Hunter O/U 12 ga: interchanges with Trulock's Beretta/Benelli style Maverick Arms Model 91: interchanges with Trulock's Mossberg 835 style Miroku: interchanges with Trulock's Win-Brn-Moss style. Mitchell Mauser 12 gauge: no known interchange. Mossberg: [EXCEPT 835 & 935, SA-20 and Silver/Onyx series] interchanges with Trulock's Win-Brn-Moss style. Mossberg SA-20 20 gauge: interchanges with Trulock's Benelli style Mossberg 835 & 935: interchanges with Trulock's Mossberg 835 style. Mossberg Silver & Onyx Series 12 gauge: interchanges with Trulock's Beretta/Benelli style Mossberg Silver & Onyx Series 20 gauge: interchanges with Trulock's Huglu style. Mossberg Silver & Onyx Series 28 gauge: interchanges with Trulock's Mossberg Silver Reserve 28 gauge. New England Firearms 12 gauge: interchanges with Trulock's Win-Brn-Moss style. **Perazzi** 4th Generation: interchanges with Trulock's Perazzi 4th Generation style. Remington [Except Spartan, Pro Bore and 10 ga.]: interchanges with Trulock's Remington style. Remington SP10 gauge: interchanges with Trulock's Remington 10 ga. style Remington Spartan 12 and 20 gauge: interchanges with standard Tru-Choke Remington Spartan 16 gauge: interchanges with Baikal 16 gauge chokes. Remington Pro Bore models: [New 2006] 1100 G3, 1100 12 Competition, Premier O/U, and 105CTI Automatic and Versa Max: interchanges with Trulock's Pro Bore style. Renato Gambo: no known interchange Rizzini USA; interchanges with Trulock's Verona LX style. Rizzini [B] interchanges with Trulock's Verona LX style. Rizzini [I] interchanges with Trulock's Verona LX style. Rizzini: [E] no known interchange

Ruger 12 gauge PRE 1992: [short tube, approximately 1.5"] interchanges with Trulock's Win-Brn-Moss stvle. Ruger SC: [current production, approximately 2.450"] interchanges with Trulock's Ruger Long style. Ruger 20 ga PRE 1992 version: No known interchange. Ruger 20 ga POST 1992 versions: interchanges with Trulock's SC Ruger Long style Sako/Tikka 12 gauge: Most of these shotguns will take Trulock's Valmet style choke. Some will take Trulock's Invector Plus style. Savage Milano 12 & 20 ga: interchanges with Trulock's Verona LX style Sig Arms: [Aurora] interchanges with Trulock's Verona LX style. Sig Arms [SA3] no known interchange. Sig Arms [SA5] : interchanges with Trulock's Verona LX style SKB standard: [short tube, approximately 1.5"] interchanges with Trulock's Win-Brn-Moss style. SKB Competition: interchanges with Trulock's SKB Competition style. Smith & Wesson 1000 (old style): interchanges with Trulock's Win-Brn-Moss style. Smith & Wesson 1000 12 ga. (Current Version starting in 2007, made in Turkey): interchanges with Trulock's Beretta/Benelli style. Smith & Wesson 1000 20 ga. (Current Version starting in 2007, made in Turkey): interchanges with Trulock's Benelli style. Smith & Wesson Elite series O/U 12 and 20 ga: No known interchange. Stevens 411 12 gauge: interchanges with standard Tru-Choke. Stevens 512 Gold Wing 12 ga, 20 ga. 28 ga.: interchanges with Trulock's Beretta/Benelli style Stevens 350: interchanges with Trulock's Win-Brn-Moss style Stoeger Coach 12 gauge: interchanges with Trulock's Win-Brn-Moss style Stoeger Condor 20 gauge O/U: Current production interchanges with Trulock's Win-Brn-Moss style. Note: We have found a very few of these guns that take a Metric version of this choke. These will not interchange Stoeger Condor 12 and 20 gauge O/U: interchanges with Trulock's Win-Brn-Moss style. Stoeger Luger O/U: interchanges with Trulock's American Arms style. Stoeger Single Barrel: interchanges with Win-Brn-Moss style. Stoeger Uplander: side-by-side interchanges with Trulock's Win-Brn-Moss style. Stoeger 2000 Semi-Auto: interchanges with Trulock's Beretta/Benelli style. Stoeger P-350 Pump: interchanges with Trulock's Beretta/Benelli style Stoeger STF 3000: interchanges with Trulock's Win-Brn-Moss style Stoeger 3500 12 ga: interchanges with Trulock's Beretta/Benelli style Thompson Center Encore: interchanges with Trulock's Win/Brn/Moss style. Traditions by Fausti 12 gauge: interchanges with Trulock's American Arms style. Traditions by Fausti 20 gauge: interchanges with Trulock's American Arms style. Traditions Semi-Auto ALS 2100: 12 ga. only interchanges with Trulock's Beretta/Benelli style. Traditions Semi-Auto 20 gauge: interchanges with Trulock's Benelli style. Tri-Star Phantom Field: interchanges with Trulock's Beretta/Benelli style. Tri-Star Phantom HP: no known interchange. Tri-Star Phantom 411: interchanges with Trulock's Verona LX style Tri-Star Silver Series: interchanges with Trulock's American Arms style. Tri-Star Viper 3in 12 and 20 ga: interchanges with Trulock's Beretta/Benelli (Mobil) style. Tri-star Viper 3.5 in 12 ga: interchanges with Trulock's Crio Plus style Valmet: interchanges with Trulock's Valmet style. Verney Carron 12 ga: interchanges with Trulock's Hastings Type 2 style_ Verona LX O/U [Except 980]: interchanges with Trulock's Verona LX style Verona 9800/U: Interchanges with Trulock's Antonio Zoli style Verona SX Auto Loader: interchanges with Trulock's Verona SX style. Weatherby- Includes D'Italia and SA-08- All Except PA459: interchanges with Trulock's Win-Brn-Moss stvle. Weatherby PA459 : interchanges with Trulock's Beretta/Benelli style Winchester: [1200, 1300, 1400, 1500 and Ranger, Standard Winchester chokes] interchanges with Trulock's Win-Brn-Moss style. Winchester Model 59: no known interchange Winchester Super X2: [Except Practical Mark I and II] interchanges with Trulock's Browning Invector Plus style. Winchester Super X2 Practical Mark I and II [standard bore]: interchanges with Trulock's Win-Brn-Moss style.

Winchester Super X3: interchanges with Trulock's Browning Invector Plus style.

Winchester SXP Pump: interchanges with Trulock's Browning Invector Plus style.

Winchester Supreme [.740 bore diameter]: interchanges with Trulock's Browning Invector Plus style. Winchester Select [.740 bore diameter]: interchanges with Trulock's Browning Invector Plus style

ALL COMPANY AND TRADE NAMES ARE REGISTERED TRADEMARKS OF THE ABOVE LISTED COMPANIES.

Updated 12/27/2013

www.trulockchokes.com

Trulock Tool Division – Whigham Enterprises Inc. 113 Drayton Street NW PO Box 530 Whigham GA 39897 Phone: (229) 762-4678

©